

DIGITAL PRESSURE GAUGE 1.5"

AI.DPG3600



DESCRIPTION

Pressure Range: 0 to 150 psi - Temperature Compensation: -10 to +60°C

Unit Selection: Psi, Bar, Mpa, kg/cm2 available - Auto-Off Function - Longer Battery Life

TECHNICAL DATA

Socket Material: Brass

Accuracy: +/-0.5% of full scale (+/-1% of full scale for 15 e 50 psi)

Power Supply: Battery CR2450 (3.0V, 500mAh)

Sampling Rate: 1.2 sec

Battery Life: 1 year for continuous use

Pressure Range: 0-150 PSI

Measure Media: Dry Air

Burst Pressure: 2xF.S.

Unit: Psi, Bar, Mpa, Kg/cm2 available

Resolution: 0.1Psi, 0.01Bar, 0.001Mpa, 0.01kg/cm2





Compensated Temp. Range: -10 to +60°C

Humidity: 35-85%

Brass port: 1/8"NPT, 1/4"NPT or PT Male, option available

Weight: approx. 0.1 kg

DIMENSION



Dimensions Data

Connection Size	A
1/4"NPT Male	12 mm
1/8"NPT Male	10 mm

ORDERING INFORMATION

DPG3600	Code	Type
	B	LCD Display + Battery Power
		Code Pressure Range
	1	150 psi
	2	Others
		Code Connection Port
	A	1/8"NPT male
	B	1/4"NPT male
	C	1/4"PT male
	O	Option
		Code Power Supply
	A	Battery CR2450 (3.0V, 500mAh)
DPG3600		Complete Ordering Code

Tel.: +39 011 198 218 39 - E-mail: info@asit-ge.com - www.asit-ge.com

Le caratteristiche dichiarate possono cambiare senza alcun preavviso



ASIT ITALIA S.R.L.

Sede operativa e Uffici
Via Quintino Sella, 6
10020 Riva presso Chieri (TO)
T (+39) 011 198 218 39 - F (+39) 011 198 371 06

INFO@ASIT-GE.COM

WWW.ASIT-GE.COM



Company with
Certificate of Quality
System ISO 9001:2015
Cert n°38785/19/S