

METAL TUBE FLOW METERE

AI.MF200E



CE

TECHNICAL DATA

AI.MF200E for low flow of gas, liquid and steam

Material: 316 stainless steel for case and body or option.

Indication: via magnetic coupling (no seals)

Scales: calibrated in l/h, m³/h, kg/h, %

Flow rate: water-0.4 l/h up to 4000 l/h air-21 NI/h up to 120,000 NL/h

Connection types: BSP, NPT, FLANGE TYPE ON REQUEST

Working temperature: Combine with electronic parts: -40°C/+150°C


Combine without electronic parts: -40°C/+180°C

Working pressure: standard 100 kg/cm²; other options upon request

Connection size: 1/4"-1 1/2" - **Protection class:** IP66/IP68 - **Accuracy:** +/- 2% FS (+/- 1.6% FS option)

DIMENSIONS

IP66 Model: MF200E-B




NOTE.
Max. Range: 1000 L/H for Liquid; 30000 NL/H for Air
Connection Size: 1/4" ~ 3/4" BSP/NPT

MF200E-B

Basic Model:

Rear connection + needle valve

IP68 Model: MF200E-S




MF200E-S


Basic Model:

Thread connection

Principle



IP66 Model: MF200E-R




MF200E-R

Flange-needle Model:

flange connection + needle valve

IP68 Model: MF200E-T



MF200E-T


Flange Model:

flange connection

STANDARD SCALES

Tube	L/H 20°C Water	NL/H Air 0°C 1.013 bar	ΔPmm Water	BSP /NPT	Accuracy (NOTE 1.)
MF2001E	0.4 ~ 4	21 ~ 210	340	1/4"	±6% F.S
MF2002E	0.6 ~ 6	33~330	340	1/4"	±3% F.S
MF2003E	1 ~ 10	48~480	340	1/4"	±2% F.S
MF2004E	1.5 ~ 15	60~600	340	1/4"	±2% F.S
MF2005E	2 ~ 20	72~720	340	1/4"	±2% F.S
MF2006E	3 ~ 30	90~900	340	1/4"	±2% F.S
MF2007E	5 ~ 50	120~1200	340	1/4"	±2% F.S
MF2008E	6 ~ 60	180~1800	340	1/4"	±2% F.S
MF2009E	10 ~ 100	300~3000	340	1/4"	±2% F.S
MF2010E	15 ~ 150	500~5000	340	1/2"	±2% F.S
MF2011E	25 ~ 250	750~7500	340	1/2"	±2% F.S
MF2012E	45 ~ 450	1500 ~ 15000	340	1/2"	±2% F.S
MF2013E	75~750	2000~20000	340	3/4"	±2% F.S
MF2014E	100~1000	3000~30000	340	1"	±2% F.S
MF2015E	150~1500	5000~50000	450	1-1/2"	±2% F.S
MF2016E	200~2000	7500~75000	450	1-1/2"	±2% F.S
MF2017E	300~3000	9000~90000	450	1-1/2"	±2% F.S
MF2018E	350~3500	11000~110000	450	1-1/2"	±2% F.S
MF2019E	400~4000	12000~120000	450	1-1/2"	±2% F.S

INSTALLATION



ORDERING INFORMATION

MF200E	Code	Connection				Code	Connection size																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	S	Thread connection				4B	1/4" BSP (Female)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	R	Connection with needle valve				4N	1/4" NPT (Female)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	T	Flange connection				2B	1/2" BSP (Female)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	B	Rear connection with needle valve				2N	1/2" NPT (Female)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
		Code	Type			6B	3/4" BSP (Female)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
		G	Indicating only			6N	3/4" NPT (Female)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
			Code	Alarm			1B	1" BSP (Female)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
			0	Without alarm switch			1N	1" NPT (Female)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
				Code	Body material			15B	1½" BSP (Female)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
				A	SS316	B	SS316L	15N	1½" NPT (Female)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
					Code	Float & Wetted part material			20B	2" BSP (Female)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
					A	SS316	B	SS316L	20N	2" NPT (Female)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
						Code	Connection rating			2F	½" Flange																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
						0	Thread connection			6F	¾" Flange																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
						5	JIS 5K			10F	1" Flange																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
						10	JIS 10K			15F	1 ½" Flange																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
						20	JIS 20K				Code	Protection Class																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
						15	ANSI 150#				IP	IP66 / IP68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
						30	ANSI 300#					Code	Fluid																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
						40	ANSI 400#					G	Gas																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
						60	ANSI 600#					O	Oil																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
						T	Other:_____					L	Liquid																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
												S	Steam																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
													Code	Range																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
												S	Standard range																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
													Please directly fill out the flow range in the order code.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
MF200E																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											



ASIT ITALIA S.R.L.

Sede operativa e Uffici
Via Quintino Sella, 6
10020 Riva presso Chieri (TO)
T (+39) 011 198 218 39 - F (+39) 011 198 371 06

INFO@ASIT-GE.COM

WWW.ASIT-GE.COM



Company with
Certificate of Quality
System ISO 9001:2015
Cert n°38785/19/S