

SIGHT GLASS

AI.SOG Series 200



EAC


DESCRIPTION

AI.SOG Series 200 sight glass gauge is designed for viewing into vessels and pipelines. Especially for the process media such as industries of food, beverage and creameries, etc.

TECHNICAL DATA

- **Wiper**
- **Light Fittings**
- **Size:** Butt weld pipe end 2" - 4" available
- **Pressure limited:** 16 bar (kg/cm²) @25°C water
- **Temperature limited:** Up to 120°C
- **Material:** Wetted Parts & Body - WN 1.4404 / AISI 316, WN 1.4301 / AISI 304, and others on request
 Slotted Cover Nut - WN 1.4301 / AISI 304
 Sight Glass - Transparent tempered glass;
 Gasket - Silicone, Viton, EPDM, PTFE and others on request

DIMENSIONS



ORDERING INFORMATION

SOG	Code	Type (difference in the length of "d")			
	200	DIN-15	200S	DIN-15I	
		Code	Body Material		
		1	WN 1.4404 / AISI 316	2	WN 1.4301 / AISI 304
		3	Option		
		Code	Size		
			(A) 2" (B) 2½" (C) 3" (D) 4"		
		Code	Gasket Material		
			(1) Silicone (2) Viton (3) EPDM (4) PTFE (5) Other		
SOG					Complete Ordering Code

Tel.: +39 011 198 218 39 - E-mail: info@asit-ge.com - www.asit-ge.com

Le caratteristiche dichiarate possono cambiare senza alcun preavviso



ASIT ITALIA S.R.L.

Sede operativa e Uffici

Via Quintino Sella, 6

10020 Riva presso Chieri (TO)

T (+39) 011 198 218 39 - F (+39) 011 198 371 06

INFO@ASIT-GE.COM

WWW.ASIT-GE.COM



Company with
Certificate of Quality
System ISO 9001:2015
Cert n°38785/19/S